

ORBEA

OCCAM M30-EAGLE.



IN DIESEN FARBEN VORHANDEN:



ANTHRAZIT GLITTER
[GLÄNZEND] / SCHWARZ
[MATT]



BLAU [MATT] / ORANGE
[GLÄNZEND]

TECHNISCHE EIGENSCHAFTEN UND OPTIONEN

RAHMEN	Orbea Occam OMR 2020 140mm travel 29" C-Boost 12x148
DÄMPFER	Fox Float DPS Performance 3-Position Evol custom tune 210x50mm
GABEL	Fox DPX2 Factory 3-Position Adjust Evol Kashima 210x50mm
	Fox 34 Float Performance 140 3-Position QR15x110
	Fox 36 Float Factory 150 Grip2 RC2 QR15x110 Kashima
	Fox 34 Float Factory 140 FIT4 3-Pos-Adj QR15x110 Kashima
KURBEL	SRAM Descendant CNC Eagle Dub Boost 32t
STEUERSATZ	Acros Alloy 1-1/8 - 1-1/2" Integrated
LENKER	OC1 35mm 12mm Rise 780mm
	Race Face Aeffect 35 Rise 780mm + Aeffect 35 Kit (Bar+Stem)
VORBAU	OC1 3D Forged 35mm interface 7°
HEBEL	SRAM NX Eagle
BREMSEN	Shimano MT501 BR520 Hydraulic Disc
	Shimano XT M8120 Hydraulic Disc
KASSETTE	SRAM NX PG-1230 Eagle 11-50t 12-Speed
SCHALTWERK	SRAM NX Eagle
KETTE	SRAM NX Eagle 12-Speed
LAUFRADSATZ	DT Swiss M-1900 Spline 30c TLR 15/110mm CL
REIFEN	Maxxis High Roller II 2.50" FB 60 TPI Dual Exo TR
	Maxxis Minion DHF 2.5" (F) / Minion DHR 2.4" (R) TLR
REIFEN	Maxxis Rekon 2.40" FB 60 TPI Dual Exo TR
PEDALE	N/A
SATTELSTÜTZE	OC2 Dropper 31.6mm
	Crank Brothers Highline 125mm travel
	Crank Brothers Highline 150mm travel
	Crank Brothers Highline 170mm travel
	OC2 Dropper 31.6mm 125mm travel
	OC2 Dropper 31.6mm 150mm travel
	OC2 Dropper 31.6mm 170mm travel
SATTEL	Fizik Taiga S-alloy rail
VORDERRADACHSE	Fox Kabolt Boost

GEOMETRIE

GRÖßE	S	M	L	XL
1 - SEAT_TUBE	381	419	457	508
2 - TOP_TUBE	565	592	619	649
3 - HEAD_TUBE	95	105	120	140
4 - CHAIN_STAY			440	
5 - BB_HEIGHT			336	
6 - BB_DROP			35	
7 - WHEELBASE	1165	1194	1224	1259
8 - HEAD_ANGLE	66°	66°	66°	66°
9 - SEAT_ANGLE	77°	77°	77°	77°
10 - STANDOVER	710	736	766	776
11 - REACH	425	450	474	500
12 - STACK	604	613	627	646
13 - FORK_LENGTH			547	
14 - OFFSET			44	

ERGONOMIE

GRÖßE	KURBELLÄNGE	VORBRAU	LENKER
S	170	45	780
M	170	45	780
L	175	55	780
XL	175	55	780

* Das Lenkermaß ist Mitte-Mitte



